

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

AKRON RUBBER DEVELOPMENT LABORATORY, INC.¹ 2887 Gilchrist Road Akron, OH 44305 Rick Behne Phone: 330 794 6600

MECHANICAL

Valid To: January 31, 2020 Certificate Number: 0255.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory as well as the 2 satellite laboratory locations listed below to perform the following tests <u>on rubber</u>, <u>plastics</u>, <u>textiles</u>, <u>latex</u>, <u>condoms</u>, <u>adhesives</u>, <u>sealers</u> and <u>adhesive</u> tapes:

CONDITIONING

Test Method	<u>Test</u>
ASTM D618	Conditioning of Plastics for Testing
ASTM D832	Rubber Conditioning for Low Temperature Testing
UL2703	Conditioning Polymeric Materials for Testing
(Sections 18.3-18.6 & Figure 8.1)	

ABRASION

Test Method	<u>Test</u>
ASTM C1353	Abrasion Resistance of Dimension Stone Subjected to
	Foot Traffic Using a Rotary Platform Abraser
ASTM D1630	Rubber Property – Abrasion Resistance (Footwear
	Abrader)
ASTM D2228	Rubber Property – Relative Abrasion Resistance by Pico
	Abrader Method
ASTM D3389	Coated Fabrics Abrasion Resistance (Rotary Platform
	Abrader)
ASTM D4060	Abrasion Resistance Organic Coatings by the Taber
	Abraser
ASTM D5963	Rubber Properties – Abrasion Resistance (Rotary Drum
	Abrader)
ASTM F1319	Standard Test Method for determination of Abrasion
	and Smudge Resistance of Images Produced from
	Business Copy Products (Crockmeter Method)
DIN 53 516 – 87 ² (Withdrawn in 2014)	Determination of Abrasion Resistance
BS ISO 4649	Rubber, Vulcanized or Thermoplastic – Determination
	of Abrasion Resistance using a Rotating Cylindrical
	Drum Device
DIN ISO 4649	Determination of Abrasion resistance using a rotating
	cylindrical drum device
ISO 4649	Determination of Abrasion resistance using a rotating
	cylindrical drum device

(A2LA Cert. No. 0255.01) Revised 06/08/2019

Au-

Page 1 of 22

ABRASION (continued)

Test Method	<u>Test</u>
Ford FLTM BN 107-01	Crocking Test – Interior Trim Materials
GM9033P-86 ² (Withdrawn in 2013)	Test for Determining Color fastness to Crocking
	(Rubbing)
GMW 3274 – 2011 (Withdrawn in 2016)	Pile Distortion (Crockmeter Method)
ISO 20433	Colour Fastness to Crocking: Textiles and Leather
SAE J861	Method of Testing Resistance to Crocking of Organic
	Trim Materials
ASTM D3884	Standard Guide for Abrasion Resistance of Textile
	Fabrics (Rotary Platform, Double-Head Method)
Chrysler LP-463PB-54-01	Crock Mar Resistance
ISO 105-X12	Determining Abrasion Resistance of Color Textiles

ELECTRICAL

Test Method	<u>Test</u>
ASTM D150	AC Loss Characteristics and Permittivity (Dielectric
	Constant of Solid Electrical Insulation
ASTM D257	DC Resistance or Conductance of Insulating Materials
ASTM D991	Volume Resistivity of Electrically Conductive and Antistatic Products
ASTM D876 (Sections 59, 60 and 62)	Volume resistivity-non rigid vinyl fluoride polymer tubing used for electrical insulation

EXPOSURE TESTING

Test Method	<u>Test</u>
Accelerated Aging and Heat Resistance	
ASTM D454	Rubber Deterioration by Heat and Air Pressure
ASTM D572	Rubber – Deterioration by Heat and Oxygen
ASTM D573	Rubber – Deterioration in an Air Oven
ASTM D794 – 1993 (Withdrawn 1998)	Determining Permanent Effect of Heat on Plastics
ASTM D865	Rubber – Deterioration by Heating in Air (Test Tube Enclosure)
ASTM D1055 – 2009 (Parts 15-16)	Accelerated Aging Tests
(Withdrawn in 2014)	
ASTM D3045	Heat Aging of Plastics Without Load
ASTM D3574 (Test J)	Flexible Cellular Materials – Slab, Bonded, and
	Molded Urethane Foams – Steam Autoclave Aging
ASTM D3574 (Test K)	Flexible Cellular Materials – Slab, Bonded, and
	Molded Urethane Foams – Dry Heat Aging
DIN 53 508	Accelerated Ageing of Rubber
ISO 188	Rubber, vulcanized or thermoplastic – Accelerated
	Ageing and Heat Resistance Tests
JIS K6257	Rubber, Vulcanized or Thermoplastic – Determination
	of Heat Ageing Properties
SAE J2236	Determining Continuous Upper Temperature
	Resistance of Elastomers

LOW TEMPERATURE

Test Method	<u>Test</u>
ASTM C765	Low Temperature Flexibility of Preformed Tape
	Sealants
ASTM D746	Brittleness Temperature of Plastics and Elastomer by
	Impact
ASTM D1329	Evaluating Rubber Property – Retraction at Lower
	Temperatures (TR Test)
ASTM D2137	Rubber Property – Brittleness Point of Flexible
	Polymers and Coated Fabrics
ISO 812	Rubber, Vulcanized or Thermoplastic –
	Determination of Low Temperature Brittleness
JIS K6261 Withdrawn	Rubber, Vulcanized or Thermoplastic –
	Determination of Low Temperature Properties
JIS K6261-1	General Introduction and Guide: Determination of
	low temperature properties
JIS K6261-2	Low temperature Brittleness
ЛS K6261-3	Low temperature stiffness
ЛS K6261-4	Low temperature retraction

<u>ULTRAVIOLET FLUORESCENT LAMPS/XENON</u>

Test Method	<u>Test</u>
AATCC 186	Weather Resistance: UV Light and Moisture
	Exposure
ASTM C793 (Except Carbon-Arc)	Effects of Laboratory Accelerated Weathering on
	Elastomeric Joint Sealants
ASTM C1257	Accelerated Weathering of Solvent-Release-Type
	Sealants
ASTM D750	Rubber Deterioration Using Artificial Weathering
	Apparatus
ASTM D904 (Method A)	Rubber Deterioration Using Artificial Weathering
	Apparatus
ASTM D1148	Rubber Deterioration-Discoloration from Ultraviolet
	(UV) or UV/Visible Radiation and Heat Exposure of
	Light-Colored Surfaces and Xenon-Arc Apparatus
ASTM D1670/D1670M	Failure End Point in Accelerated and Outdoor
	Weathering of Bituminous Materials
ASTM D2565	Xenon-Arc Exposure of Plastics Intended for
	Outdoor Applications
ASTM D3424 (Except Method 2)	Evaluating the Relative Lightfastness and
	Weatherability of Printed Matter
ASTM D4329	Fluorescent Ultraviolet (UV) Lamp Apparatus
1 0 m 6 m 1 5 0 m	Exposure of Plastics
ASTM D4587	Fluorescent UV-Condensation Exposures of Paint
1077171071071071	and Related Coatings
ASTM D4674 (Method IV)	Accelerated Testing for Color Stability of Plastics
A CENT DATES	Exposed to Indoor Office Environments
ASTM D4799	Accelerated Weathering Test Conditions and
	Procedures for Bituminous Materials (Fluorescent
	UV, Water Spray, and Condensation Method)

Page 3 of 22

<u>ULTRAVIOLET FLUORESCENT LAMPS/XENON</u> (continued)

Test Method	<u>Test</u>
ASTM D5208	Fluorescent Ultraviolet (UV) Exposure of
	Photodegradable Plastics
ASTM D5215	Instrumental Evaluation of Staining of Vinyl Flooring
	by Adhesives
ASTM D6662 (Section 6.3)	Polyolefin-Based Plastic Lumber Decking Boards
ASTM D6754 (Section 8.15)	Ketone Ethylene Ester Based Sheet Roofing
ASTM G151	Exposing Nonmetallic Materials in Accelerated Test
	Devices that Use Laboratory Light Sources
ASTM G154	Operating Fluorescent Ultraviolet (UV) Lamp
	Apparatus for Exposure of Nonmetallic Materials
Fiat 50471-2000	Alternating Ultraviolet Radiation/humidity
	Resistance Test
Ford WSB-M3G 102B/B2 - 3.11 - 2005	Staining: Low Density Polyvinyl Chloride Foam
(Withdrawn in 2007)	Pressure Sensitive, Supersoft/Tape, Low Density
	Polyvinyl Chloride/Nitrile Foam Pressure Sensitive, Ultra Soft
GM 9125-1998 (Withdrawn in 2013)	Procedures for Laboratory Accelerated Exposure of
, ,	Automotive Materials
ISO 4892-3	Methods of Exposure to Laboratory Light Sources –
	Fluorescent UV Lamps
JIS K 7350-3	Methods of Exposure to Laboratory Light Sources –
	Part 3: Fluorescent UV Lamps
MIL-DTL-85052B (Section 4.4.4.3.1)	General Specification for Clamp, Loop, Cushion:
	Ultraviolet Exposure
Navistar MPAPS GT-31 (2014)	Accelerated Weathering of Non-Metallic Materials
Polaris ENG-TST-10-026, Section 4.5 (2011)	UV Test Procedure
SAE J2020	Accelerated Exposure of Automotive Exterior
	Materials Using a Fluorescent UV and Condensation
	Apparatus
AATCC 16 (Options 3, 4, & 5)	Colorfastness to Light
AATCC 169 (Cycle 1-4)	Weather Resistance of Textiles – Xenon Arc
	Exposure
ASTM C1442	Conducting Tests on Sealants Using Artificial
	Weathering Tests
ASTM D4459	Xenon-Arc Exposure of Plastics Intended for Indoor
	Applications
ASTM D4637/D4637M	Weather Resistance of EPDM Sheet Used in Single-
(Sections 8.19 & 8.20)	Ply Roof Membrane
ASTM D4798/D4798M	Accelerated Weathering Test Conditions and
	Procedures for Bituminous Materials (Xenon-Arc Method)
ASTM D5071	Exposure of Photodegradable Plastics in a Xenon Arc
1101111 20071	Exposure of I hotodegradable I lastics in a Action Are
1101111 20071	Apparatus Xenon-Arc Exposure of Paint and Related Coatings

Page 4 of 22

<u>ULTRAVIOLET FLUORESCENT LAMPS/XENON (continued)</u>

Test Method	<u>Test</u>
ASTM D6754/D6754M	Standard Specification for Ketone Ethylene Ester Based Sheet Roofing
ASTM D6878/D6878M	Weather Resistance of Thermoplastic Polyolefin Based
(Section 7.13)	Roofing
ASTM D7869	Xenon Arc Exposure Test with Enhanced Light and
	Water Exposure for Transportation Coatings
ASTM F1515	Measuring Light Stability of Resilient Flooring by
(Water Cooled Xenon Only)	Color Change
ASTM G26-96 (Withdrawn in 2000)	Operating Light-Exposure Apparatus (Xenon-Arc
	Type) With and Without Water for Exposure of
	Nonmetallic Materials
ASTM G147	Conditioning and Handling of Nonmetallic Materials
A CTM C155	for Natural and Artificial Weathering Tests
ASTM G155	Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials
Boeing BMS 1-57L-2011	Weather Resistance – Silicon Rubber, Extreme Low
(Section 8.10)	Temperature Resistant
Fiat 50451-2009 (Method A)	Accelerated Aging by Atmospheric Agents
Ford FLTM BO 116-01	Resistance to Interior Weathering
Ford ESB-M9P4-A-1978 ²	Rubber Parts – Migration Staining Against Paint
(Withdrawn)	Rubber Parts – Migration Staining Against Paint
GM9902P-96 Withdrawn	Noncontact Staining Measurement of Elastomers
GW199021 -90 WIGHUIAWII	(Xenon-Arc)
GME 60292 – 2000 (Withdrawn in	Determination of Colour Fastness and Resistance to
2016)	Artificial Light
GMW 3414	Artificial Weathering of Automotive Interior Trim
	Materials
GMW 14162 (Methods A, B or D)	Colorfastness to Artificial Weathering
GMW 14650, 4.11	Compatibility
GMW 14743, Table 1	Elastomer for Wiper Blades – Paint Staining
GMW 17557	Non Contact Staining
Honda HES D2500-10	Light Resistance/Weather Resistance – Resin Materials
(Sections 3.12.1b & 3.12.2)	for Vehicles
Honda HES D6601-99A	Accelerated Test Method for Light Resistance with
	Xenon-Arc Lamp
Hyundia/Kia MS 210-05 (2006)	Fading Resistance Test – Molded Plastic Parts (Interior
(Section 4.5)	Use)
ISO 105-B02	Colour Fastness to Artificial light: Xenon Arc Fading
	Lamp Test
ISO105-B01	Color fastness to Daylight
ISO 105-B06	Colour Fastness and ageing to Artificial Light at High
(Conditions 3, 4, 5 or 6)	Temperatures: Xenon Arc Fading Lamp Test
ISO 3865	Rubber, Vulcanized or Thermoplastic – Methods of
IGO 4002 1	Test for Staining in Contact with Organic Material
ISO 4892-1	Methods of Exposure to Laboratory Light Sources – General Guidance
ISO 4892-2	
150 4072-2	Methods of Exposure to Laboratory Light Sources – Xenon-Arc Lamps
	Action-Aic Lamps



ULTRAVIOLET FLUORESCENT LAMPS/XENON (continued)

Test Method	Test
ISO 11341-2004 ² (Withdrawn)	Paints and Varnishes – Artificial Weathering and
150 11511 2001 (Withdrawn)	Exposure to Artificial Radiation – Exposure to Filtered
	Xenon-Arc Radiation
ISO 16474-2	Paints and Varnishes – Methods of Exposure to
150 104/4-2	Laboratory Light Sources – Xenon-arc Lamps
ISO 30013	Rubber and Plastics Hoses – Methods of Exposure to
150 30013	Laboratory Light Sources – Determination of Changes
IASO M 205 (Section 5.14)	in Colour, Appearance and Other Physical Properties
JASO M 305 (Section 5.14)	Weatherstrips for Automobiles – Weatherability Test
JASO M 346	Light-Exposure Test Method by Xenon-Arc Lamp for Automotive Interior Part
JASO M351	Automotive Parts – Accelerated Weathering Testing
	Method by Xenon-Arc Lamp for Exterior Parts
JIS B 7754	Light-Exposure and Light-and-Water-Exposure
313 B 7734	Apparatus (Xenon-arc Lamp Type)
MIL-STD-810G Method 506	Determining the Effects of Solar Radiation on Material
(Procedure 11 Only)	Determining the Effects of Solar Radiation on Material
Nissan NES M0135 (Except 1-II-1B	Weatherability and Light Resistance Test Methods for
and 1-II-3 Using Air Cooled Xenon	Synthetic Resin Parts
~	Synthetic Resin Farts
Lamps) (2008 Only) PSA Peugeot – Citroen D27-1389-07	Daint Castings Dylhams and Dissting Artificial
PSA Peugeot – Chroen D27-1389-07	Paint Coatings Rubbers and Plastics Artificial
D 1, D27, 1011 D 07	Weathering by Weatherometer
Renault D27 1911 D-07	Rubbers and Plastic, Paint Coatings Artificial Ageing
GAE 11005 2005 (W/:1.1.	Using a Weatherometer
SAE J1885-2005 (Withdrawn in	Accelerated Exposure of Automotive Interior Trim
2008)	Components Using a Controlled Irradiance Water
GAE 11060 2004 (W/11 1	Cooled Xenon-Arc Apparatus
SAE J1960-2004 (Withdrawn in	Accelerated Exposure of Automotive Exterior Materials
2008)	Using a Controlled Irradiance Water Cooled Xenon-Arc
	Apparatus
SAE J2027 (Section 5.2.8)	Standard for Protective Covers for Gasoline Fuel Line
	Tubing, Chemical Resistance (Xenon-Arc)
SAE J2412	Accelerated Exposure of Automotive Interior Trim
	Components Using a Controlled Irradiance Xenon-Arc
	Apparatus
SAE J2527	Performance Based Standard for Accelerated Exposure
	of Automotive Exterior Materials Using a Controlled
	Irradiance Xenon-Arc Apparatus
Suzuki SES N3292-00 Methods	Test Methods of Weatherability and Light Resistance
WAL-2 & WAN-2	for Plastic Parts
Toyota TSL 3610G Rev 9 Sept. 2010	Light Resistance
PARA. 7.8.2	
Toyota TSH1585G-10 (Except Test	Xenon-Arc Lamp Type Methods for Accelerated
Types IV & V)	Weathering Resistance of Paint Film
Toyota TSL0601G-11	Criteria for Test for Quality of Color Change by Aging
(Methods B & E)	,
Toyota TSM0501G-03 (Section 9.20	Accelerated Weather (Light) Resistance Test
with Atlas Ci65 or Equivalent)	(6)
UL758 (Section 17)	Physical Properties of Insulation and Jacket, Sunlight
	Resistance
<u> </u>	

ULTRAVIOLET FLUORESCENT LAMPS/XENON (continued)

Test Method	<u>Test</u>
UL 1581 (Section 1200)	Sunlight Resistance
UL 2556 (Section 4.2.8.5)	Weather (Sunlight) Resistance
VW PV 1303-01	Exposure Test of Passenger Compartment Components
VW PV 3929-18	Non-Metallic Materials: Weathering in Dry, Hot
	Climate
VW PV 3930-17	Non-Metallic Materials: Weathering in Moist, Hot
	Climate
Yamaha YGK-8-501 (2008)	Painting – Accelerated Weatherability
Yamaha YGK-8-706 (2016)	Xenon Arc Lamp Weathering Test

ADHESION

Test Method	<u>Test</u>
AFG-01 - 1984	Adhesive for Field-Gluing Plywood to Wood Framing
ASTM D903	Peel or Stripping Strength of Adhesive Bonds
ASTM D2229	Standard Test Method for Adhesion Between Steel Tire Cords and Rubber
ASTM D3359	Measuring Adhesion by Tape Test
ASTM D3498	Adhesives for Field-Gluing Plywood to Lumber Framing for Floor Systems

CHEMICAL RESISTANCE

Test Method	<u>Test</u>
ASTM D471	Rubber Property – Effect of Liquids
ASTM D543	Evaluating the Resistance of Plastics to Chemical
	Reagents
ASTM D6284	Rubber Property – Effect of Aqueous Solutions with
	Available Chlorine and Chloramine
DIN 53 521 – 1987 (Withdrawn in	Determination of the Behavior of Rubber and
1999)	Elastomers when Exposed to Fluids And Vapours
DIN ISO 1817	Determination of the effect of liquids
JIS K6258	Rubber, Vulcanized or Thermoplastic – Determination
	of the Effect of Liquids
ISO 1817	Rubber, Vulcanized or Thermoplastic – Determination
	of the Effect of Liquids
ASTM F146	Fluid Resistance of Gasket Material
GMW14334	Chemical Resistance to Fluids
NES M0133 2010	Testing methods of chemical resistance for plastic parts

COLOR

Test Method	<u>Test</u>
AATCC EP-1	Grey Scale for Color Change
ASTM D1003	Haze and Luminous Transmittance of Transparent Plastics
ASTM D2244	Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates
ASTM E313	Calculating Yellowness and Whiteness Indices from Instrumentally Measured Color Coordinates
ASTM E1164	Obtaining Spectrometric Data for Object-Color Evaluation
ASTM E1331	Reflectance Factor and Color by Spectrophotometry Using a Hemispherical Geometry
ISO 105/A02	Grey Scale for Assessing Change in Colour
ISO 105/A04	Method for the Instrumental Assessment of the Degree of Staining of Adjacent Fabrics
ISO 4582	Determination of Changes in Colour and Variations in Properties after Exposure to Daylight under Glass, Natural Weathering or Laboratory Light Sources
JIS L0804	Grey scale for assessing change in Color
SAE J1545	Instrumental Color Difference Measurement for Exterior Finishes, Textiles and Colored Trim

COMPRESSION

Test Method	<u>Test</u>
ASTM D395	Compression Set
ASTM D575	Rubber Properties in Compression
ASTM D623 Method A only	Heat Generation and Flexing Fatigue in Compression
ASTM D695	Compressive Properties of Rigid Plastics
ISO 604	Compressive Properties of Rigid Plastics
ASTM D790	Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials
ASTM D945	Rubber Properties in Compression or Shear (Mechanical Oscillograph)
ASTM D1055 (17-19) – 2009	Compression Set Under Constant Deflection
(Withdrawn in 2014)	
ASTM D1055 (24-26) – 2009	Flexing Test (Suffix H)
(Withdrawn in 2014)	
ASTM D1055 (27-30) – 2009 (Withdrawn in 2014)	Low-Temperature Test (Compression/Deflection)
ASTM D1229	Compression Set at Low Temperatures
ASTM D3574 (Test C)	Compression Force Deflection Test
ASTM D3574 (Test D)	Constant Deflection Compression Set
ASTM D3575 (Section 9-16)	Flexible Cellular Materials Made from Olefin Polymers – Compression Set Under Constant Deflection
ASTM D3575 (Section 17-24)	Flexible Cellular Materials Made from Olefin Polymers - Compression Deflection
ASTM F1342 (Procedure A)	Protective Clothing Material Resistance to Puncture

COMPRESSION (continued)

Test Method	<u>Test</u>
ISO 178	Determination of Flexural Properties
ISO 815-1	Determination of Compression Set – at Ambient or
	Elevated Temperatures
ISO 815-2	Determination of Compression Set – at Low
	Temperatures
ISO 1653 - 1975 (Withdrawn in	Vulcanized Rubbers - Determination of Compression
1993)	Set under Constant Deflection at Low Temperatures
ISO 3386-1	Determination of stress strain characteristics in
	compression-Low density materials
DIN EN ISO 3386-1	Determination of stress strain characteristics in
	compression-Low density materials
JIS K6262	Rubber, Vulcanized or Thermoplastic – Determination
	of Compression Set at Ambient, Elevated or Low
	Temperatures
ASTM D4014	Shear Modulus and Related Testing for Elastomeric
	Bridge Bearings
ASTM D1667 (Parts 16-20)	Compression Deflection Test Method
ASTM D1667 (Parts 21-25)	Compression Set Under Constant Deflection

CONDOM TEST

Test Method	<u>Test</u>
ASTM D3492	Rubber Contraceptives (Male Condoms)
ASTM D6324	Male Condoms Made from Polyurethane
ARDL 2139	Lubricant Testing on Condoms
BS 3704 – 1996 (Withdrawn)	Natural Rubber Latex Male Condoms
ISO 4074 Except annex G and	Natural Rubber Latex Male Condoms – Requirements
section M.3	and Test Methods
BS EN ISO 4074 Except annex G	Natural Rubber Latex Male Condoms – Requirements
and section M.3	and Test Methods
WHO – Male Latex Condom Test	The Male Latex Condom
ASTM D7661	Determining Compatibility of Personal Lubricants with
	Natural Rubber Latex Condoms

CORROSION EVALUATION

Test Method	<u>Test</u>
ASTM D610	Evaluating Degree of Rusting on Painted Steel Surfaces
ASTM D1654	Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments
SAE J1389	Corrosion Test for Insulation Materials

CRACK RESISTANCE

Test Method	<u>Test</u>
ASTM D813	Rubber Deterioration – Crack Growth
ASTM D1693	Environmental Stress – Cracking of Ethylene Plastics

DIMENSIONAL STABILITY

Test Method	<u>Test</u>
ASTM D1204	Linear Dimensional Changes of Nonrigid Thermoplastic
	Sheeting or Film at Elevated Temperatures
ASTM D3575 – Suffix S	Flexible Cellular Materials Made from Olefin Polymers –
(Sections 35-42)	Thermal Stability
ASTM D3767	Rubber Properties – Measurement of Dimensions

DENSITY

Test Method	<u>Test</u>
ASTM D792	Density and Specific Gravity of Plastics by Displacement
ASTM D1667, X3	Suggested Test Method for Density (Suffix W)
ASTM D1622/D1622M	Standard Test method for Apparent Density of Rigid Cellular Plastics
ASTM D3574 (Test A)	Density Test Urethane Foams
ASTM D3575 (Suffix W)	Density – Flexible Cellular Materials Made from Olefin Polymers

EXTENSION CYCLING FATIGUE/CUT GROWTH

Test Method	<u>Test</u>
ASTM D430	Rubber Deterioration – Dynamic Fatigue
ASTM D1052	Measuring Rubber Deterioration – Cut Growth Using
	Ross Flexing Apparatus
ASTM D4482	Rubber Property – Extension Cycling Fatigue

FLAMMABILITY

Test Method	<u>Test</u>
ASTM C1166	Flame Propagation of Dense and Cellular Elastomeric
	Gaskets and Accessories
ASTM D635	Rate of Burning and/or Extent and Time of Burning of
	Plastics in a Horizontal Position
ASTM D3801	Measuring the Comparative Burning Characteristics of
	Solid Plastics in a Vertical Position
ASTM D5132	Horizontal Burning Rate of Polymeric Materials Used in
	Occupant Compartments of Motor Vehicles
USDOT FMVSS-302-03	Flammability of Interior Materials – Passenger Cars,
	Multipurpose Passenger Vehicles, Trucks and Buses
IEC 60695-11-10	50W Horizontal and Vertical Flame Test Methods
ISO 3795	Determination of Burning Behavior of Interior Materials
SAE J369	Flammability of Polymeric Interior Materials – Horizontal
	Test Method
UL94 (except sections 9,10,11	Flammability of Plastic Materials for Parts in Devices and
and 12)	Appliances
VW TL1010-2008	Burning Behavior – Materials used in Vehicle Interiors

FOGGING CHARACTERISTICS

Test Method	<u>Test</u>
Chrysler LP-463DB-12-01 –	Fogging Resistance of Interior Materials
2000 Withdrawn	
GMW 3235	Fogging Characteristics of Trim Materials
SAE J1756	Determination of the Fogging Characteristics of Interior
	Automotive Materials
ASTM D1735	Standard Practice for Testing Water resistance of Coatings
	Using Water Fog Apparatus

FRICTION PROPERTIES

Test Method	<u>Test</u>
ASTM D1894	Static and Kinetic Coefficients of Friction of Plastic Film
	and Sheeting

GLOSS (20°/60°/85°)

Test Method	<u>Test</u>
ASTM C584	Specular Gloss of Glazed Ceramic Whitewares and
	Related Products
ASTM D523	Specular Gloss
ASTM D4039	Reflection Haze of High-Gloss Surfaces
Federal Standard 141D (Methods	60°, 85°, 20° Specular Gloss
6101.1, 6103 &6104 only)	
Ford FLTM BI 010-02	Measurement of Gloss Change of Flat Enamels after
	Polishing
Ford FLTM BI 110-01	Measurement of the Gloss of Paint Panels
Honda HES D2500-10 (Section	Gloss Test
3.10 only)	
JIS Z 8741	Specular Glossiness
ISO 2813	Gloss values at 20°, 60°, 85°

GLOVE TESTING

Test Method	Test
ASTM D120	Rubber Insulating Gloves
ASTM D3577	Rubber Surgical Gloves
ASTM D3578	Rubber Examination Gloves
ASTM D5151	Detection of Holes in Medical Gloves
ASTM D5250	Poly (Vinyl Chloride) Gloves for Medical Application
ASTM D6124	Residual Powder on Medical Gloves
ASTM D6319	Nitrile Examination Gloves for Medical Application
ASTM D6977	Polychloroprene Examination Gloves for Medical Application
ASTM D7198	Disposable Embalming Gloves for Single-Use Applications
ARDL 2140	Lubricant Testing on Gloves
BS EN 455-1	Medical Gloves for Single Use – Requirements and Testing for Freedom from Holes
BS EN 455-2	Medical Gloves for Single Use – Requirements and Testing for Physical Properties

HARDNESS

Test Method	<u>Test</u>
ASTM D2583	Indentation Hardness of Rigid Plastics by Means of a
	Barcol Impressor
ASTM D2240	Rubber Property – Durometer Hardness
(Types A, D, M, and OO)	
DIN 53 505-2000	Shore A and Shore D Hardness Testing of Rubber
(Withdrawn in 2012)	
ISO 868 (Types A and D)	Plastics and Ebonite – Determination of Indentation
	Hardness by Means of a Durometer (Shore Hardness)
DIN ISO7619-1	Rubber, Vulcanized or Thermoplastic-Determination of
	Indentation Hardness
JIS K 6253-2 M and CM only	Rubber, Vulcanized or Thermoplastic – Determination of
	Hardness (Hardness Between 10 IRHD and 100 IRHD)
ASTM D1415	Rubber Property – International Hardness
ISO 48 M and CM only	Rubber, Vulcanized or Thermoplastic – Determination of
(Withdrawn)	Hardness (Hardness between 10 IRHD and 100 IRHD)
ASTM D785 (Scale R)	Rockwell Hardness of Plastics and Electrical Insulating
	Materials

Page 12 of 22

HDT/VICAT SOFTENING POINT

Test Method	<u>Test</u>
ASTM D648	Deflection Temperature of Plastics Under Flexural Load
	in the Edgewise Position
ASTM D1525 (Rate B)	Vicat Softening Temperature of Plastics
ISO 75-1	Determination of Temperature of Deflection under Load –
	General Test Method
ISO 75-2	Determination of Temperature of Deflection under Load –
	Plastics and Ebonite
ISO 75-3	Determination of Temperature of Deflection under Load –
	High-Strength Thermosetting Laminates and Long-Fibre-
	Reinforced Plastics
ISO 306 (Method A120)	Determination of Vicat Softening Temperature

HOSE TESTING

Test Method	<u>Test</u>
ASTM D380	Rubber Hose for Automotive Air and Vacuum Brake
	Systems
ASTM D622	Standard Test Method for Rubber Hoses
SAE J1037	Windshield Washer Tubing

IMPACT

Test Method	<u>Test</u>
ASTM D256	Determining the Izod Pendulum Impact Resistance of
	Plastics
ASTM D4226	Impact Resistance of Rigid Poly(Vinyl Chloride) Building
	Products
ASTM D4812	Unnotched Cantilever Beam Impact Resistance of Plastics
ASTM D5420	Impact Resistance of Flat, Rigid Plastic Specimen by
	Means of a Striker Impacted by a Falling Hammer
	(Gardner Impact)
ISO 179-1	Determination of Charpy Impact Properties
ISO 180	Determination of Izod Impact Strength

INJECTION MOLDING TEST SPECIMENS

Test Method	<u>Test</u>
ASTM D3641	Injection Molding Test Specimens of Thermoplastics
	Molding and Extrusion Materials

MELT FLOW

Test Method	<u>Test</u>
ASTM D1238	Melt Flow Rates of Thermoplastics by Extrusion
	Plastometer
ISO 1133-1	Determination of the Melt Mass Flow Rate (MFR) and
	Melt Volume-Flow Rate (MVR) of Thermoplastics

ODOR TESTING

Test Method	<u>Test</u>
Delphi SD2-208 (Section 5.3.2)	Odor Test
2012	
GMW 3205	Determining the Resistance to Odor Propagation of
	Interior Materials
GMW 14131	Compatibility of Interior Trim Materials with Amines
SAE J1351	Hot Odor Test for Insulation Materials
VDA 270	Determination of odor characteristics of trim materials

OZONE TESTING

Test Method	<u>Test</u>
ASTM D518-99	Rubber Deterioration – Surface Cracking
(Withdrawn in 2008)	
ASTM D1149	Rubber Deterioration – Cracking in an Ozone
	Controlled Environment
ASTM D1171	Rubber Deterioration – Surface Ozone Cracking
	Outdoors or Chamber (Triangular Specimens)
ASTM D3395-99	Rubber Deterioration – Dynamic Ozone Cracking in a
(Withdrawn in 2008)	Chamber
DIN 53 509-1-1990	Resistance of rubber to ozone cracking
(Withdrawn in 2011)	
ISO 1431-1	Rubber, Vulcanized or Thermoplastic – Resistance to
	Ozone Cracking – Static and Dynamic Strain Testing
Ford BP 101-01	Degradation by ozone
FMVSS 106 TP-106 April 2008	Laboratory test procedure for FMVSS 106 brake hoses
(sections 12.A.13 & 12.B.6	
SAE J1401 Section 4.2.9 & 4.2.13	Hydraulic Brake Hose Assemblies for use with
	nonpetroleum base hydraulic fluids
GM4486P-1995	Test for Ozone Resistance of Elastomer Compounds
(Withdrawn in 2011)	•

RESILIENCE BY REBOUND

Test Method	<u>Test</u>
ASTM D2632	Rubber Property – Resilience by Vertical Rebound
ASTM D7121	Rubber Property – Resilience Using Schob Type
	Rebound Pendulum
DIN 53 512	Rubber, Vulcanized or Thermoplastic – Determination
	of Rebound Resilience
ISO 4662 (Pendulum Method)	Determining the Rebound Resilience of Rubber using
	the Schob Pendulum

Page 14 of 22

STAIN RESISTANCE

Test Method	<u>Test</u>
AATCC Evaluation Procedure 2	Grey Scale for Staining
ASTM D925	Rubber Property – Staining of Surfaces (Contact,
	Migration, and Diffusion)
GM9240P-88 ² (Withdrawn 2013)	Perspiration Resistance
BN 103-01	Resistance of Coated Fabrics and Plastic Film to
	Migration Staining and Blocking
GM9317P-1996 (Withdrawn 2017)	Water Repellancy Test
GM9517P-88 ² (Withdrawn 2012)	Resistance to Synthetic Perspiration
GM 9689-95P 1995 (Withdrawn in	Asphalt Staining Test
2014)	
GM 9736P-88 ² (Withdrawn 2011)	Sulfide Dioxide Spot Test
GMN8170-02 ² (Withdrawn 2014)	Resistance to Blocking
GMN10033-04 ² (Withdrawn 2011)	Sunscreen Lotion Resistance of Interior Coatings
GMW 14102	Determination of Water Spotting Test
GMW 14069 - 2005	Migrations – Bleeding Resistance and Contact Stain
(Withdrawn in 2011)	Compatibility of PVC with Other Materials
GMW 14141	Dye Migration
GMW 14296	Perspiration Resistance
GMW 14445	Insect and Insect Repellant Resistance
GMW 14864	Procedure for Determining the Staining of Trim
	Materials Due to Sulfur Dioxide, SO ₂ , and Hydrogen
	Sulfide, H ₂ S
ISO 105-G02	Textiles – Tests for Colour Fastness – Colour Fastness
100 2065	to Burnt-Gas Fumes
ISO 3865	Rubber, Vulcanized or Thermoplastic – Methods for
ISO 15701	Staining in Contact with Organic Materials Leather – Tests for Colour Fastness – Colour Fastness to
150 15/01	Migration into Polymeric Material
Nissan NES M0142-1991	Staining/Indirect Staining
(Section 18 & 19)	2 man vv staming
SAE J322	Nonmetallic Trim Materials – Test Method for
	Determining the Staining Resistance to Hydrogen
	Sulfide Gas
SAE J1326	Test Method for Measuring Wet Color Transfer
	Characteristics

STIFFNESS

Test Method	<u>Test</u>
ASTM D1053	Rubber Property – Stiffening at Low Temperatures:
	Flexible Polymers and Coated Fabrics (Torsional
	Stiffness)
ASTM D1388	Stiffness of Fabrics

An-

TENSILE TESTS

Test Method	Test
ASTM D412	Vulcanized Rubber and Thermoplastic Elastomers –
71011112	Tension
ASTM D413	Rubber Property – Adhesion to Flexible Substrate
ASTM D429	Rubber Property – Adhesion to Rigid Substrates
ASTM D624	Tear Strength of Conventional Vulcanized Rubber and
7101111 2021	Thermoplastic Elastomers
ASTM D638	Tensile Properties of Plastics
ASTM D882	Tensile Properties of Thin Plastic Sheeting
ASTM D1002	Shear Strength of Single-Lap-Joint Adhesively Bonded
	Metal Specimens by Tension Loading (Metal-to-Metal)
ASTM D1004	Tear Resistance (Graves Tear) of Plastic Film and
	Sheeting
ASTM D1708	Tensile Properties of Plastics by Use of Microtensile
	Specimens
ASTM D3163	Determining Strength of Adhesively Bonded Rigid
	Plastic Lap-Shear in Shear by Tension Loading
ASTM D3574 (Test E)	Flexible Cellular Materials – Slab, Bonded, and Molded
	Urethane Foams – Tensile Test
ASTM D3574 (Test F)	Flexible Cellular Materials – Slab, Bonded, and Molded
A CTN A D 572 A 2001	Urethane Foams – Tear Test
ASTM D5734-2001	Tearing Strength of Nonwoven Fabrics by Falling-
(Withdrawn in 2008) ASTM D5735 - 2001	Pendulum (Elmendorf) Apparatus
(Withdrawn in 2009)	Tearing Strength of Nonwoven Fabrics by the Tongue
ASTM F152	(Single Rip) Procedure Tension Testing of Nonmetallic Gasket Materials
DIN 53 504	Determination of Tensile Strength
ISO 34-1	Rubber, vulcanized or thermoplastic – Determination of Tear Strength – Trouser, Angle and Crescent Test Pieces
ISO 34-2	Rubber, Vulcanized or Thermoplastic – Determination
130 34-2	of Tear Strength – Small (Delft) Test Pieces
ISO 37	Rubber, Vulcanized or Thermoplastic – Determination
	of Tensile Stress-Strain Properties
ISO 527-1	Plastics – Determination of Tensile Properties
ISO 6383-1	Film and Sheeting – Determination of Tear Resistance –
	Trouser Tear Method
JIS K 6251	Rubber, Vulcanized or Thermoplastic – Determination
	of Tear Strength
JIS K6252-1	Rubber, Vulcanized or Thermoplastic- Determination of
	tear strength Trouser, angle crescent pieces
JIS K6252-2	Rubber, Vulcanized or Thermoplastic- Determination of
	tear strength Small (delft) test pieces
JIS K6252-2007 (Withdrawn)	Rubber, Vulcanized or Thermoplastic – Determination
DD1 50 505 1000 W	of Tensile Stress-Strain Properties
DIN 53 507 – 1983 (Withdrawn)	Determination of Tear Growth Propagation Trouser Test Piece
ASTM D3137	Standard Test Method for Rubber Property- Hydrolytic
	Stability



LOW TEMPERATURE BENDING

Test Method	<u>Test</u>
ASTM D2136	Coated Fabrics – Low Temperature Bending Test

VAPOR TRANSMISSION OF VOLATILE LIQUIDS

Test Method	<u>Test</u>
ASTM D814	Rubber Property – Vapor Transmission of Volatile
	Liquids
GM 214M – 2003	Engine Intake Manifold and Throttle Body Gaskets
(Withdrawn in 2013)	
Table 2 (3.1.3), Tables 1, 2, 3 and 4	
(3.1.2 - 3.1.4)	
GMW14724	Engine Intake Manifold and Throttle Body Gaskets

VOLATILE LOSS

Test Method	<u>Test</u>
ASTM D1203	Volatile Loss of Plastics Using Activated-Carbon
	Method
SAE J 2665	Measurement of fuel permeability of materials by the
	cup weight loss methods

WATER ABSORPTION

Test Method	<u>Test</u>
ASTM C121	Water Absorption of Slate
ASTM D570	Water Absorption of Plastics
ASTM D3575 – Suffix L	Flexible Cellular Materials Made from Olefin Polymers
(Sections 26-32)	– Water Absorption
ISO 62	Plastics – Determination of Water Absorption
BS EN ISO 62	Plastics – Determination of Water Absorption
ASTM D1056, sections 43 to 49	Flexible Cellular Materials-Sponge or Expanded
	Rubber-water absorption,
ISO 6916-1 Annex E	Flexible cellular polymeric materials-Sponge and
	expanded cellular rubber

¹This accreditation covers testing performed at the main laboratory listed on page 1, and at the satellite laboratories listed below.

Page 17 of 22

AKRON RUBBER DEVELOPMENT LABORATORY, INC. 300 Kenmore Boulevard Akron, OH 44301

SAMPLE PREPARATION AND MOLDING

<u>Test Method</u>	<u>Test</u>
ASTM D2229	Standard Test Method for Adhesion Between Steel Tire
	Cords and Rubber
ASTM D3182	Procedures for Mixing Standard Compounds and
	Preparing Standard Vulcanized Sheets
ASTM D3183	Rubber – Preparation of Pieces for Test Purposes from
	Products
ASTM D3767	Standard Practice for Rubber – Measurement of
	Dimensions
ASTM D4703	Compression Molding Thermoplastic Materials into Test
	Specimens, Plaques, or Sheets
ISO 293	Compression Moulding of Test Specimens of
	Thermoplastic Materials
UL 2703	Conditioning Polymeric Materials for Testing
(Sections 17.3, 17.4 & 17.1)	

VISCOSITY

Test Method	<u>Test</u>
ASTM D1646	Rubber – Viscosity, Stress Relaxation, and Pre –
	Vulcanization Characteristics (Mooney Viscometer)

RHEOLOGY

Test Method	<u>Test</u>
ASTM D2084	Rubber Property – Vulcanization Using Oscillating Disk
	Cure Meter
ASTM D5289	Rubber Property – Vulcanization Using Rotorless Cure
	Meters

VOLATILE MATTER

<u>Test Method</u>	<u>Test</u>
ASTM D5668 (Method A)	Rubber from Synthetic Sources – Volatile Matter

AKRON RUBBER DEVELOPMENT LABORATORY, INC.

75 E. Robinson Avenue Barberton, Ohio 44207

SAMPLE PREPARATION AND MOLDING

Test Method	<u>Test</u>
ASTM D3182	Procedures for Mixing Standard Compounds and
	Preparing Standard Vulcanized Sheets
ASTM D3183	Rubber – Preparation of Pieces for Test Purposes from
	Products

MISCELLANEOUS

Test Method	<u>Test</u>
ASTM D6147	Determination of Force Decay (Stress Relaxation) in
	Compression
ASTM F36	Compressibility and Recovery of Gasket Materials
ASTM F1112	Statics Testing of Tubeless Pneumatic Tires for Rate of
	Loss of Inflation Pressure
ISO 3384-1	Determination of Stress Relaxation in Compression
ISO 6056	Determination of Compression Stress Relaxation (rings)

CONVEYOR BELTING, FLAT TYPE

<u>Test Method</u>	<u>Test</u>
ASTM D378 (Section 17)	Breaking Strength and Modulus Testing of Conveyor
	Belting

ELECTRICAL

<u>Test Method</u>	<u>Test</u>
ASTM D149	Dielectric Breakdown Voltage and Dielectric Strength
	of Solid Electrical Insulation Materials at Commercial
	Power Frequencies

FEA MODELING AND SUPPORT TESTING

Test Method	<u>Test</u>
ASTM D4014	Plain and Steel-Laminated Elastomeric Bearings for
(Except 8.2.3, 8.2.5 & 8.2.6)	Bridges
ARDL 8105	Finite Element Analysis
ARDL 8106 (Except Compression	Finite Element Analysis Support Test
Set, ASTM D395	
ARDL 8107	Life Prediction of Elastomeric Components or Materials
ARDL 8111	Shelf Life Prediction for Rubber Products

DYNAMIC TESTING

Test Method	<u>Test</u>
ASTM D4065	Plastics: Dynamic Mechanical Properties:
	Determination and Report of Procedures
ASTM D5992	Dynamic Testing of Vulcanized Rubber and Rubber-
	Like Materials Using Vibratory Methods
SAE J1085	Testing Dynamic Properties of Elastomeric Isolators
ISO 4664-1	Rubber, Vulcanized or Thermoplastic-Determination of
	Dynamic Properties
ASTM D5024	Dynamic Mechanical Properties in Compression
ASTM D5026	Dynamic Mechanical Properties in Tension
ASTM E1640	Standard for Assignment of the Glass Transition
	Temperature by Dynamic Mechanical Analysis

IMPACT

Test Method	<u>Test</u>
ASTM D3763	High Speed Puncture Properties of Plastics Using Load
	and Displacement Sensors
ASTM F1292	Impact Attenuation of Surfacing Materials Within the
	Use Zone of Playground Equipment
GM9904P (Inactive) ²	Multi-Axial Impact Test

SALT SPRAY CORROSION

Test Method	<u>Test</u>
ASTM B117	Operating Salt Spray (Fog) Apparatus
JIS Z2371	Methods of Neutral Salt Spray Testing

HOSE TESTING

Test Method	<u>Test</u>
ASTM D380 (Section 14-17)	Rubber Hose for Automotive Air and Vacuum Brake
	Systems

CARBON ARC

Test Method	<u>Test</u>
AATCC 192	Weather Resistance of Textiles: Sunshine-Arc Lamp
	Exposure With and Without Wetting
ASTM C793	Effects of Laboratory Accelerated Weathering on
	Elastomeric Joint Sealants
ASTM C1442	Conducting Tests on Sealants Using Artificial
	Weathering Apparatus
ASTM D750	Rubber Deterioration Using Artificial Weathering
	Apparatus
ASTM D822	Filtered Open-Flame Carbon-Arc Exposures of Paint
	and Related Coatings
ASTM D1499	Filtered Open-Flame Carbon-Arc Exposures of Plastics

CARBON ARC (continued)

Test Method	<u>Test</u>
ASTM D3815	Accelerated Weathering of Pressure-Sensitive Tapes by
	Open-Flame Carbon-Arc Exposure Apparatus
ASTM G152	Operating Open Flame Carbon Arc Light Apparatus for
	Exposure of Nonmetallic Materials
Ford FLTM BO 101-01-2001	Resistance to Artificial Weathering
(Withdrawn)	
Fuji TS420-1-12 (2002)	Weather Strip Testing
Honda HES D2500 -10 Rev 2	Weathering Resistance Test Resistance Test
(3.12.2)	
Hyundai/KIA MS 260-13,	Staining Resistance Test
Section 4.9 (2014)	
ISO 4892-4	Methods of Exposure to Laboratory Light Sources:
	Open-Flame Carbon-Arc Lamps
JIS B7753	Sunshine Carbon Arc Lamp Type Weathering Test
	Machine and Light Resistance Tester
JIS D 0205	Test Method of Weatherability for Automotive Parts
MIL-T-4239A – 1951	Accelerated Aging
(Withdrawn in 1966)	
FED STD 601 Method 7311 – 1955	Resistance to Light
(Withdrawn)	
Nissan NES M0007 - 2006	Test Method for Resistance Characteristics to Rubber
(Methods A and B)	Part
Nissan NES M0501	Testing Methods of Staining for Rubber, Vulcanized or
(Methods 4, 5 and 6) - 2007	Thermoplastic
Nissan NES M7075, 7.16 - 2005	Weather Resistance
Nissan NES M0135 - 2008	Weatherability and Light Resistance Test Methods for Synthetic Resin Parts
Suzuki SES N3292 - 2000	Test Methods of Weatherability and Light Resistance for Plastic Parts
Toyota TSM 1100G-2007	Weathering Test
(Section 8.6)	
Toyota TSM 1500G, 5.18 - 2012	Staining Test (By Contact)
Toyota TSM 1501G, 8.9 - 2004	Staining Test
Toyota TSM 5728G-2005	Accelerated Weatherability
(Section 5.9.2, Method A)	
Toyota TSK 6505G (Section 4.6) -	Paint Film Contamination Resistance
2011	
FED STD 601 Method 7311 – 1955	Resistance to Light
Withdrawn	
Toyota TSM 5526G - 2010	Polycarbonate/Acrylonitrile – X- Styrene Alloy Resin
	Molding Materials
UL 758 Section 17	Sunlight Resistance
UL 2556 Section 4.2.8.5	Weather Resistance



OIL AND GAS

ISO 23936-1	Petroleum, Petrochemical and Natural Gas Industries – Non-Metallic Materials in Contact With Media Related Oil and Gas Production – Thermoplastics
ISO 23936-2	Petroleum, Petrochemical and Natural Gas Industries – Non-Metallic Materials in Contact With Media Related Oil and Gas Production – Elastomers
NACE TM0192	Evaluating Elastomeric Materials in Carbon Dioxide Decompression Environments
NORSOK M-710	Rapid Gas Decompression Resistance

The laboratory is accredited for the test methods listed above. The accredited test methods are used in determining compliance with the material specifications listed below; however, the inclusion of these material specifications on this Scope does not confer laboratory accreditation to the material specifications. Inclusion of these material specifications on this Scope also does not confer accreditation for every method embedded within the specification. Only the methods listed above on this Scope are accredited.

ASTM: C923, C1115, C1173, D378, D1056, D1248, D1414, D2000, D6878 / D6878M, E308, D751

DaimlerChrysler: MS-AG-81, MS-AR-20, MS-AR-23, MS-AR-24, MS-AR-26, MS-AR-30, MS-AR-80, MS-DC-16

Ford: ESF-M4D101-A, ESF-M4D423-A, WSK-M4D695-A Withdrawn, WSS-M2D378-B1Withdrawn, WSS-M2D379-B1 Withdrawn, WSS-M2D380-B1 Withdrawn, WSS-M2D381-B1 Withdrawn, WSS-M2D382-B1Withdrawn

GM: GM6086M Withdrawn 2012, GM7001M Withdrawn 2011, GMP.ABS.018R Withdrawn 2012, GMP.E/P.003 Withdrawn 2011, GMP.E/P.029 Withdrawn 2010, GMP.E/P.071 Withdrawn 2011, GMP.TES.012 Withdrawn 2013, GMP.EP.001 Withdrawn 2011, GMP.PE.002 Withdrawn 2011, GMP.PE.003 Withdrawn 2011, GMP.PE.004 Withdrawn 2011, GMP.PE.005 Withdrawn 2011, GMP.PE.006 Withdrawn 2016, GMP.PE.007 Withdrawn 2011, GMP.PE.009 Withdrawn 2011, GMN8423 Withdrawn, GMN11106 Withdrawn 2010, GMW15473 Withdrawn 2015, GMW17408

ISO: 4074-1

JIS: K 6301:1995 (Withdrawn 1996)

Underwriters Laboratory: UL746B (UL 94 Only)



Accredited Laboratory

A2LA has accredited

AKRON RUBBER DEVELOPMENT LABORATORY, INC.

Akron, OH

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005

General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system

(refer to joint ISO-ILAC-IAF Communiqué dated 8 January 2009).



Presented this 5th day of March 2018.

Vice President, Accreditation Services

For the Accreditation Council Certificate Number 0255.01

Valid to January 31, 2020

Revised February 8, 2019



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

AKRON RUBBER DEVELOPMENT LABORATORY, INC.

2887 Gilchrist Road Akron, OH 44305 Rick Behne Phone: 330 794 6600

CHEMICAL

Valid To: January 31, 2020 Certificate Number: 0255.02

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on rubber and plastic materials:

SPECTROSCOPY

<u>Test Method</u>	<u>Test</u>
ASTM D3677	Identification by Infrared Spectrophotometry
ASTM D5673 (AB)	Elements in Water by Inductively Coupled
	Plasma-Mass Spectrometry
ASTM D7558	Colorimetric/Spectrophotometric Procedure to
	Quantify Extractable Chemical
	Dialkyldithiocarbamate, Thiuram and
	Mercaptobenzothiazole Accelerators in Natural
	Rubber Latex and Nitrile Gloves
ASTM E1252	General Techniques for Obtaining Infrared Spectra
	for Qualitative Analysis
ASTM F963 (Sections 8.3, A7.5.3)	Standard Consumer Safety Specification for Toy
	Safety

CHROMATOGRAPHY

Test Method	<u>Test</u>
ASTM D4327	Standard Test Method for Anions in Water by
	Suppressed Ion Chromatography
ASTM F2466	Determining Silicone Volatiles in Silicone Rubber
	for Transportation Applications
Daimler Chrysler LP-461J-127 ¹ (Withdrawn)	Silicone Volatiles Determination in Silicone
	Rubber
Ford AV-102-01	Determination of Percent Silica-Producing
	Volatiles in Silicone Rubber Adhesives/Sealers
	Which Cure at Room Temperature
GM 9009P ¹ (Withdrawn)	Test for Volatiles in Silicone Rubber
ARDL 3138	Identification of Rubber Chemicals by High
	Performance Liquid Chromatography
ARDL 3174	Residual Accelerator Analysis
ASTM D3156	Rubber-Chromatographic Analysis of
	Antidegradants, Antioxidants, Antiozonants and
	Stabilizers

Dage 1

CHROMATOGRAPHY (continued)

Test Method	<u>Test</u>
ARDL 3110	Thin Layer Chromatography (TLC)
ARDL 3160	Gas Chromatrograph/Mass Spectrometer and Auto
	Sampler

DENSITY

Test Method	<u>Test</u>
ASTM D297 (Section 16.3.1)	Rubber Products – Chemical Analysis
ASTM D1475	Density of Liquid Coatings, Inks and Related
	Products
ASTM D1817	Rubber Chemicals – Density
ARDL 3103	Density
ISO 1183-1 (Methods A and B)	Methods for Determining the Density of Non-
, ,	Cellular Plastics
ASTM D792	Density and Specific Gravity of Plastics by
	Displacement

GRAVIMETRIC

Test Method	<u>Test</u>
ASTM D297 (Sections 17-29, 41-51)	Rubber Products – Chemical Analysis
ASTM D2584	Ignition Loss of Cured Reinforced Resins
ASTM D5630	Standard Test Method for Ash Content in Plastics
ASTM D2369	Volatile Content of Coatings

RUBBER AND FOOD CONTACT ASSESSMENT

Test Method	<u>Test</u>
ARDL 3171	Formula Evaluation and Extractable Testing
21 CFR 177.2600	Rubber Articles Intended for Repeated Use

STATE OF CURE

Test Method	<u>Test</u>
ARDL 3135	Crosslink Density
Vanderbilt Latex Handbook (3 rd Edition) p. 110	Chloroform Coagulation

MICROSCOPY

Test Method	<u>Test</u>
ARDL 3809	Light Optical (LOM): Carbon Black/Inorganic
	Filler Dispersion
ASTM D3576	Light Optical (LOM): Cell Size – Cellular Plastics
ARDL 3802	Light Optical (LOM): Cell Size – Cellular Plastics
ARDL 3812	Light Optical (LOM): Failure Analysis
ARDL 3816	Scanning Electron (SEM/EDX)
ARDL 3815	Scanning Electron: Microdispersion of Inorganic
	Fillers
ARDL 3813	Scanning Electron: Elemental Analysis
ASTM D3849-95a Historical	Transmission Electron: Primary Aggregate
ARDL 3803	Transmission Electron: Primary Aggregate
ARDL 3805	Transmission Electron: Polymer Morphology

POLYMER BARRIER PROPERTIES

Test Method	<u>Test</u>
ASTM D1434 (Procedure V)	Determining Gas Permeability Characteristics of
	Plastic Film and Sheeting
ASTM D6978	Standard Practice for Assessment of Resistance of
	Medical Gloves to Permeation by Chemotherapy
	Drugs
ASTM F739	Permeation of Liquids and Gases Through
	Protective Clothing Materials Under Conditions
	of Continuous Contact
ASTM F1383	Permeation of Liquids and Gases Through
	Protective Clothing Materials Under Conditions
	of Intermittent Contact
ISO 6529	Protective Clothing – Protection Against
	Chemicals – Determination of Resistance of
	Protective Clothing Materials to Permeation by
	Liquids and Gases
BS EN 374-3-2003 (Withdrawn)	Protective Gloves Against Chemicals and Micro-
	Organisms – Determination of Resistance to
	Permeation by Chemicals
DIN EN 16523-1	Determination of Material Resistance to
	Permeation by Chemicals – Permeation by Liquid
	Chemical Under Conditions of Continuous
	Contact
ASTM E96/E96M	Water Vapor Transmission of Materials
ASTM F903	Resistance of Materials Used in Protective
	Clothing to Penetration by Liquids
ASTM F1670	Resistance of Materials Used in Protective
	Clothing to Penetration by Synthetic Blood

THERMAL

Test Method	<u>Test</u>
ASTM D3418	Transition Temperatures and Enthalpies of Fusion
	and Crystallization of Polymers by Differential
	Scanning Calorimetry (DSC)
ASTM D3850	Rapid Thermal Degradation of Solid Electrical
	Insulating Materials by Thermogravimetric
	Method (TGA)
ASTM D3895	Oxidative-Induction Time of Polyolefins by
	Differential Scanning Calorimetry (DSC)
ASTM D4419	Measurement of Transition Temperatures of
	Petroleum Waxes by Differential Scanning
	Calorimetry (DSC)
ASTM D4565 (Sections 17-18)	Physical and Environmental Performance
	Properties of Insulations and Jackets for
	Telecommunications Wire and Cable
ASTM D4591	Determining Temperatures and Heats of
	Transitions of Fluoropolymers by Differential
	Scanning Calorimetry (DSC)
ASTM D7426	Assignment of the DSC Procedure for
	Determining Tg of a Polymer or an Elastomeric
	Compound
ASTM E793	Enthalpies of Fusion and Crystallization by
	Differential Scanning Calorimetry (DSC)
ASTM E794	Melting and Crystallization Temperatures by
	Thermal Analysis

Page 3 of 6

THERMAL (continued)

Test Method	Test
ASTM E1269	Determining Specific Heat Capacity by
	Differential Scanning Calorimetry (DSC)
ASTM E1356	Assignment of the Glass Transition Temperatures
+ GT1 (F21 (C)	by Differential Scanning Calorimetry (DSC)
ASTM E2160	Heat of Reaction of Thermally Reactive Materials
	by Differential Scanning Calorimetry (DSC)
ASTM F2625	Measurement of Enthalpy of Fusion, Percent
	Crystallinity, and Melting Point of Ultra-High-
	Molecular Weight Polyethylene by Means of
700 110 77 0	Differential Scanning Calorimetry
ISO 11357-2	Plastics – Differential Scanning Calorimetry
	(DSC) – Determination of Glass Transition
	Temperature and Glass Transition Step Height
ISO 11357-3	Plastics – Differential Scanning Calorimetry
	(DSC) – Determination of Temperature and
	Enthalpy of Melting and Crystallization
ISO 11357-5	Plastics – Differential Scanning Calorimetry
	(DSC) – Determination of Characteristic Reaction
	- Curve Temperatures and Times, Enthalpy of
	Reaction and Degree of Conversion
ASTM D5992	Standard Guide for Dynamic Testing of
	Vulcanized Rubber and Rubber-Like Materials
	Using Vibratory Methods
ASTM E1640	Assignment of the Glass Transition Temperature
700 (501)	by Dynamic Mechanical Analysis
ISO 6721-4	Plastics – Determination of Dynamic Mechanical
	Properties – Tensile Vibration – Non-Resonance
4 GTD 4 F02.1	Method
ASTM E831	Linear Thermal Expansion of Solid Materials by
IGO 11250 1	Thermomechanical Analysis
ISO 11359-1	Plastics – Thermomechanical Analysis (TMA) –
ICO 11250 2	General Principles Planting Theorem and a given (TMA)
ISO 11359-2	Plastics – Thermomechanical Analysis (TMA) – Determination of Coefficient of Linear Thermal
ASTM D6370	Expansion and Glass Transition Temperature Rubber – Compositional Analysis by
ASTM D03/0	
ASTM E1131	Thermogravimetry (TGA)
ASTM E1131 ASTM E2550	Compositional Analysis by Thermogravimetry
	Thermal Stability by Thermogravimetric
ISO 9924-1	Determination of the Composition of Vulcanizes
ISO 9924-2	and Uncured Compounds by Thermogravimetric Rubber and Rubber Products – Determination of
150 3924-2	
	the Composition of Vulcanizates and Uncured Compounds by Thermogravimetry –
	Acrylonitrile-Butadiene and Halobutyl Rubbers
ISO 9924-3	Determination of the Composition of Vulcanizes
150 7724-3	
	and Uncured Compounds by Thermogravimetric

LEACHING FOR HALIDES AND SULFUR

Test Method	Test
ASTM D512	Standard Test Methods for Chloride Ion in Water
ASTM D516	Standard Test Method for Sulfate Ion in Water
ASTM D1179	Standard Test Methods for Fluoride in Water
ASTM D1246	Standard Test Method for Bromide in Water
MIL-STD 2041D (SH)	Control of Detrimental Materials
MIL-STD 2190 (SH) ¹ (Withdrawn)	Non-Metallic Seal Materials
ASTM D3566 (Sections 9.1-9.15)	Rubber – Determination of Bromine in the
	Presence of Chlorine by Oxygen Combustion

CARBON BLACK

Test Method	<u>Test</u>
ASTM D1510 (Method A)	Iodine Adsorption Number
ASTM D2414	Oil Absorption Number (OAN)
ASTM D1506	Ash Content
ASTM D1618	Transmittance of Toluene Extract
ASTM D1619	Carbon Black – Sulfur Content
ASTM D1508	Pelleted Fines and Attrition
ASTM D1509 (Method A)	Carbon Black – Heating Loss
ASTM D1514	Sieve Residue
ASTM D1513	Pour Density Pelleted
ASTM D1512	pH Value
ARDL 3187	Calibration of Volumetric Cup Used for ASTM
	D1513, Pour Density

MICROBIOLOGICAL TESTING

Test Method	<u>Test</u>
ASTM D5712	Analysis of Aqueous Extractable Protein in Latex,
	Natural Robber and Elastomeric Products Using
	the Modified Lowry Method
ASTM D6499	Immunological Measurement of Antigenic Protein
	in Natural Rubber and Its Products
ASTM D7427	Immunological Measurement of Four Principal
	Allergenic Proteins (Hev b 1, 3, 5 and 6.02) in
	Natural Rubber and Its Products Derived from
	Latex
BS EN 455-3 (Section 5.1)	Leachable Proteins in Medical Gloves for Single
	Use

MOISTURE CONTENT BY KARL FISCHER TITRATION

Test Method	<u>Test</u>
ASTM D4017	Water in Paints and Paint Materials by Karl
	Fischer Method
ASTM D6869	Coulometric and Volumetric Determination of
	Moisture in Plastics Using the Karl Fischer
	Reaction (the Reaction of Iodine with Water)
ISO 15512	Plastics – Determination of Water Content

Page 5 of 6

FLASHPOINT

Test Method	<u>Test</u>
ASTM D92	Flash Points and Fire Points by Cleveland Open
	Cup Tester

CONTACT ANGLE DETERMINATION & SURFACE TENSION

Test Method	<u>Test</u>
ASTM D5946	Corona-Treated Polymer Films Using Water
	Contact Angle Measurements
ASTM D7334	Surface Wettability of Coatings, Substrates, and
	Pigments by Advancing Contact Angle
	Measurement
ASTM D7490	Measurement of the Surface Tension of Solid
	Coatings, Substrates, and Pigments Using Contact
	Angle Measurements
ISO 15989	Plastics – Film and Sheeting – Measurement of
	Water-Contact Angle of Corona-Treated Films
ASTM D971	Interfacial Tension of Oil Against Water by the
	Ring Method
ASTM D1331 (du Noüy Ring Method)	Surface and Interfacial Tension of Solutions of
	Paints, Solvents, Solutions of Surface-Active
	Agents, and Related Materials
ASTM D1417 (Section 7)	Rubber Lattices – Synthetic

Note: The laboratory is accredited for the test methods listed above. The accredited test methods are used in determining compliance with the material and/or safety specifications listed below; however, the inclusion of these material specifications on this Scope does not confer laboratory accreditation to the material specifications. Inclusion of these material specifications on this Scope also does not confer accreditation for every method embedded within the specification. Only the methods listed above on this Scope are accredited.

ASTM D4626, E682

European Standards: BS EN 71-3

Vanderbilt Latex Handbook (3rd Edition) (for Reference Only)

EPA Method 24 (see Note 1 below)

Note: For Determination of Volatile Matter Content, Water Content, Density and Weight Solids of Surface Coatings, refer to test methods ASTM D1475, D2369 and D4017 in the accredited portion of this scope listed above.

Page 6 of 6



Accredited Laboratory

A2LA has accredited

AKRON RUBBER DEVELOPMENT LABORATORY, INC.

Akron, OH

for technical competence in the field of

Chemical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005

General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system

(refer to joint ISO-ILAC-IAF Communiqué dated 8 January 2009).



Presented this 5th day of March 2018.

Vice President, Accreditation Services

For the Accreditation Council Certificate Number 0255.02

Valid to January 31, 2020

Revised February 26, 2019